Home Stereo System Kit - 6 Channel 6000 W Bluetooth Amplifier w/ 10 QTY of 6.5" in-Wall in-Ceiling Speakers 200 W Each, 2 QTY of Wired Mic, 500 ft Speaker Wire & Remote by Technical Pro

Introducing the Ultimate Home and Venue Audio Kit, a game-changer in audio technology. This comprehensive kit is meticulously crafted to cater to the needs of both residential and commercial settings, offering unparalleled sound quality and versatility.

Featuring top-tier components such as high-end speaker wire, a powerful hybrid amplifier, innovative speaker system, 2 Qty of Wired Mic and Remote. This kit delivers crystal-clear sound with a wide dynamic range. Whether you're setting up a home entertainment system or outfitting a professional music venue, the Ultimate Home and Venue Audio Kit is your ultimate solution for immersive audio experiences.

What's Included

(1) 6 Channel 6000 W Bluetooth Amplifier
(2) 500 ft Speaker Wire Cable
(3) 10 QTY of 200W in-ceiling Speaker
(4) 2 Qty of Professional Wired Mic

FEATURES OF AMPLIFIER

- 6000 watts peak power
- Inputs: RCA (2 audio sources), USB, SD Card, MP3 (3.5mm)
- Outputs: Banana binding post (8 speakers), push button (surround sound speakers), RCA (record line, preamp, 2 mono to subwoofer)
- USB & SD Card maximum size: 32GB
- Plays .mp3, .wav, .wma files from USB drives and SD Cards
- Bluetooth compatibility allows for wireless connection to any A2DP stereo Bluetooth device

- AM/FM digital tuner
- Dual 1/4'' mic inputs with volume, echo, bass and treble controls
- Separate gain control for preamp and subwoofer outputs
- Digital FL readout with spectrum display
- Removable rack-mount brackets
- Wireless remote included
- USB input provides 5V power supply
- Dimensions (L x W x H): 19'' x 12.6'' x 4.3''

FEATURES OF SPEAKER WIRE

- IN THE BOX: 16 Gauge 500 ft. Spool of High-Quality Speaker Zip Wire
- CLEAR AUDIO: Plastic jacket helps ensure high-quality undistorted signals to and from audio equipment
- CONVENIENT: Connects audio speakers to an A/V receiver or amplifier
- SIMPLE INSTALL: Black line on one side of wire indicates the polarity for a proper audio system setup

FEATURES OF IN-CEILING SPEAKERS

- 6.50" High performance 2 Way in-ceiling loudspeaker
- Rotatable 1" Titanium Dome Tweeter In Swivel Mount
- Black Injection Cone With Rubber Edge
- Frequency range: 60Hz–20kHz
- Power Handling: 200 Watts Per Speaker

FEATURES OF MICROPHONE

- Included Cable: 10 ft XLR to 1/4'' (6.35mm) cable
- Microphone Type: Dynamic
- Frequency Range: 50Hz - 15kHz
- Directional Pattern: Cardioid (unidirectional)

- Output Impedance: 600Ω ±30%
- Sensitivity: -72dB ±3dB
- Impedance: 600Ω
- Dimensions: 4" x 1.25" x 6"