1000 Watts 3 Room Bluetooth Home Amplifier and Receiver with USB and SD Reader, (Qty 6) 6.5 flush mount In-Wall / In-Ceiling Stereo Speakers, Handheld Microphone with 10 Ft Cable

Wired microphone endures great sound quality through digital processing. This is a professional-standard mic, suitable for singers and speech-makers, DJs and musicians. The microphone comes with a 10-foot XLR ¼ inch lead, so you are not forced to stand right by the amplifier. This is a great microphone for home use, too. It can serve you well for birthday karaoke parties and announcements of the next event at large family reunions.

Enjoy music from your favorite sources with a pair of speakers and the RXM7BT Stereo Audio Receiver. This receiver produces up to 150W of RMS power and features a stereo RCA and an 1/8" aux input, as well as a USB and SD card reader, allowing you to play music from a variety of sources. Bluetooth connectivity lets you stream from your compatible mobile device. Dual 1/4" microphone inputs enable you to sing along with your favorite tracks, and the integrated FM tuner provides access to free over-the-air content.

The IC808 speaker system delivers stereo sound to any room in your home or office without cluttering floor space. This 6.5'' speakers can be used for in-wall and in-ceiling applications as they mount flush for a clean look. Perfect for custom installations, the speakers feature polymer dome tweeters, impressive power handling capability, high-temperature voice coils and high-efficiency response rates – all to produce more full and rich sound. Convenient speaker terminals allow for quick and hassle-free speaker wire connection. System includes cut-out template for easy installation. Achieve wide-ranged sound performance and add audio to any room with the Speaker Systems.

Amplifier Features:

- 1000 watts peak power
- FM tuner with Digital Readout
- Inputs: RCA (2 audio sources), Bluetooth, USB, SD Card, MP3 (AUX)
- Outputs: Banana binding post , RCA (Line Out)
- USB & SD Card maximum size: 32GB

- Plays .mp3, .wav, .wma files from USB drives and SD Cards
- 128 kbps / 32 KHz sampling rate on .wav file recordings
- Digital fluorescent output display meter
- Bluetooth compatibility allows for wireless connection to any A2DP stereo Bluetooth device
- Bluetooth Range: 30 Feet
- Bass, treble and balance controls
- Dual mic inputs with volume, echo, and tone controls
- Frequency Response: 20Hz-20KHz
- Headphone output (1/8'')
- Dimensions (L x W x H):9.1"x10.25"x4.1"

Cable Features

- 10 ft XLR to 1/4'' (6.35mm) cable included
- Dynamic microphone
- Frequency range: 50Hz-15KHz
- Directional: Cardioid
- Output impedance:600O±30%
- Audio cable: 10 foot - XLR to 1/4 plug
- Dimensions (L x W x H): 4"x1.25"x 6"

Speakers Features

- 6.5 High performance in-ceiling loudspeaker
- Polypropylene woofer with butyl rubber surround
- Small perforated designer grille

- Pre-construction brackets sold separately
- Frequency range: 60Hz – 20kHz ± 3dB
- Power Handling: 60 Watts Per Speaker
- Total System Power 360 Watts
- Drivers: 1- 6.5” High compliance polymer tweeter,
- 1- 6.5” polypropylene woofer
- Impedance: 8 ohms
- Finish: ABS plastic
- Dimensions: 9” OD. 3.15 Deep (Depth from surface of wall board)